

MOLLUSKS OF ALBANIA

D. DHORA

Department of Biology-Chemistry, Faculty of Natural Science, University of Shkodra "Luigi Gurakuqi", 4000 Shkodra, Albania

Abstract — The checklist of Albanian mollusks contain 745 species: 345 species of marine molluscs of the Adriatic and Ionian seas, 156 species of freshwater mollusks (included the species of Shkodra, Ohrid and Prespa lakes) and 244 species of terrestrial molluscs, are registered in separate lists. The overview of Albanian mollusks is principally based on the numerous previous lists. It is adjourned with new data from recent publications. Some species, found for the first time in Albania, have been collected during our most recent investigations.

Key words: Mollusks, biodiversity, taxonomy, zoogeography, Albania

UDC 594(496.5)

INTRODUCTION

Albania lies at the southernmost coast of the Eastern Adriatic Sea and at the northernmost coast of the Eastern Ionian Sea. The Adriatic coast is mostly mild, while the Ionian coast is very cliffy and steep.

Continental Albania is of special interest because it evidences the regional geological processes and local geo-morphological developments in the interior areas of the country. Albania's relief is unique in the Western Balkans. It resembles a pocket that consists of catchment areas of lakes, of valleys and numerous rivers that spring from high mountains and then flow down through the fields into the Adriatic Sea.

Albania's uniqueness relies also on its interesting mollusk fauna. The factors related to the diversity and the endemism of the mollusks have attracted the interest of many researchers through the years.

The first data concerning non-marine mollusks in Albania were recorded in the second part of the XIXth century by Westerlund & Blanc (1879), Brusina (1884), Martens (1889) and Simroth (1889). It was by the beginning of the XXth century that the research in this field was intensified. Expeditions

were organized by groups of researchers, mostly Austro-Hungarian, Wohlberedt (1909), Sturany & Wagner (1914, 1915), Polinski (1924), Soos (1924).

Although there were fewer publications for a period of three decades, research gained a new impetus in the beginning of the 1960-ies. The most outstanding publications were by Jaeckel et al. (1956, 1961), H. Nordsieck on Clausiliidae, A. Riedl on Zonitidae, P. Subai on Ariantinae, E. Gittenberger on some terrestrial gastropods, and Radoman (1983, 1985) on Hydrobioidea.

Dhora & Welter-Schultes (1996a) presented a bibliography of 668 publications on non-marine mollusks in Albania and its neighboring countries, 286 of which focus directly on mollusks in Albania.

The list and the atlas of the non-marine mollusks in Albania published by Dhora & Welter-Schultes (1996b), consists of 292 species, some of which were discovered by the authors themselves. They also resorted to the information found in previous publications about some of the species.

Research studies on marine mollusks in Albania are very recent ones. The most inclusive ones are by Dhora & Salvini-Plawen (1994), Dhora (1978), and

Dhora Gjknuri (1982).

Dhora published two volumes, in 2002 and 2004, respectively, in which he presented the results of his four decade research work on mollusks in Albania. The other recent publications bear the names of Panetta et al. (2003, 2005), Beqiraj (2004), Beqiraj et al. (2007, 2008) on sea mollusks; Subai (1999, 2008), Subai & Feher (2006) Feher (2004), Feher et al. (2001, 2008), Eross (2006, 2008), and Nordsieck (2008) on terrestrial mollusks.

This abundant and dynamic information made it possible for us to record species that have already been discovered in the sea, land and freshwaters in Albania.

MARINE MOLLUSCS

POLYPLACOPHORA

Chitonidae

Chiton olivaceus SPENGLER, 1797

Ischnochitonidae

Lepidochitona caprearum (SCACCHI, 1836)

GASTROPODA

Acteonidae

Acteon monterosatoi DAUTZENBERG, 1889

Acteon tornatilis (LINNE, 1758)

Crenilabium exile (JEFFREYS, 1870)

Aplysidae

Aplysia depilans (LINNE, 1767)

Aporrhaidae

Aporrhais pespelecani (LINNE, 1758)

Aporrhais serresianus (MICHAUD, 1827)

Architectonicidae

Discotectonica discus (PHILIPPI, 1844)

Buccinidae

Buccinulum corneum (LINNE, 1758)

Colubraria reticulata (BLAINVILLE, 1832)

Pisania striata (GMELIN, 1791)

Pollia dorbigny (PAYRAUDEAU, 1826)

Bullidae

Bulla striata BRUGUIERE, 1792

Calyptraeidae

Calyptraea chinensis (LINNE, 1758)

Crepidula unguiformis LAMARCK, 1822

Capulidae

Capulus hungaricus (LINNE, 1758)

Cassidae

Galeodea echinophora (LINNE, 1758)

Cavolinidae

Cavalinia gibbosa (RANG, 1840)

Cavolinia inflexa (LESUEUR, 1813)

Cavolinia tridentata (FORSKAEL, 1775)

Clio pyramidata (LINNE, 1767)

Diacria quadridentata (LESUEUR, 1921)

Diacria trispinosa (LESUEUR, 1821)

Cerithiidae

Bittium latreillii (PAYRAUDEAU, 1826)

Bittium reticulatum (DA COSTA, 1778)

Cerithium rupestre RISSO, 1826

Cerithium vulgatum BRUGUIERE, 1792

Chromodorididae

Hypselodoris tricolor CANTRAINED, 1835

Colloniidea

Homalopoma sanguineum (LINNE, 1758)

Columbellidae

- Amphissa acutocostata* (PHILIPPI, 1844)
Columbella rustica (LINNE, 1758)
Mitrella minor (SCACCHI, 1836)
Mitrella scripta (LINNE, 1758)
- Conidae
Conus mediterraneus HWASS IN BRUGUIERE, 1792
Mitrolumna olivoidea (CANTRAINED, 1835)
- Coralliophilidae
Coralliophila meyenendorffi (CALCARA, 1845)
- Costellariidae
Vexillum ebenus (LAMARCK, 1811)
Vexillum tricolor (GMELIN, 1791)
- Cylichnidae
Cylichna cylindracea (PENNANT, 1777)
Roxania utriculus (BROCCHI, 1814)
Scaphander lignarius (LINNE, 1758)
- Cypraeidae
Luria lurida (LINNE, 1758)
Zonaria pyrum (GMELIN, 1791)
- Discodorididae
Discodoris atromaculata (BERGH, 1880)
- Epitoniidae
Acirsa subdecussata (CANTRAINED, 1835)
Epitonium celesti (ARADAS, 1854)
Epitonium commune (LAMARCK, 1822)
Epitonium tenuicosta (MICHAUD, 1829)
Opalia hellenica (FORBES, 1844)
- Eulimidae
Melanella polita (LINNE, 1758)
Vitreolina antiflexa MONTEROSATO, 1884
- Fasciolariidae
Fasciolaria lignaria (LINNE, 1758)
Fasciolaria tarentina (LAMARCK, 1822)
Fusinus rostratus (OLIVI, 1792)
- Fissurellidae
Fissurella nubecula (LINNE, 1758)
Diodora gibberula (LAMARCK, 1822)
Diodora graeca (LINNE, 1758)
Diodora italica DEFRANCE, 1820
Emarginula fissura (LINNE, 1758)
Emarginula octaviana COEN, 1939
- Haliotidae
Haliotis lamellosa LAMARCK, 1822
- Haminoeidae
Haminoea hydatis LINNE, 1758
Haminoea navicula (DA COSTA, 1778)
- Hydrobiidae
Hydrobia acuta (DRAPARNAUD, 1805)
Hydrobia ulvae (PENNANT, 1777)
Hydrobia ventrosa (MONTAGU, 1803)
- Janthinidae
Janthina janthina (LINNE, 1758)
- Lepetidae
Iochia fulva (MULLER, 1776)
- Littorinidae
Littorina neritoides (LINNE, 1758)
- Marginellidae
Granulina marginata (BIVONA, 1832)
Volvarina mitrella (RISSO, 1826)

Mathildidae

Mathilda retusa BRUGNONE, 1873

Mitridae

Mitra cornicula (LINNE, 1758)

Muricidae

Hadriana oretea (DE GREGORIO, 1885)

Hexaplex trunculus (LINNE, 1758)

Murex brandaris LINNE, 1758

Murexsul aradasi (MONTEROSATO & POIRIER, 1893)

Muricopsis cristata (BROCCHI, 1814)

Ocenebra erinaceus (LINNE, 1758)

Ocenebrina aciculata (LAMARCK, 1822)

Ocenebrina edwardsii (PAYRAUDEAU, 1826)

Trophon echinatus (KIENER, 1840)

Trophon muricatus (MONTAGU, 1803)

Nassariidae

Cyclope neritea (LINNE, 1758)

Nassarius incrassatus (STRÖMM, 1768)

Nassarius lima (DILLWYN, 1817)

Nassarius mutabilis (LINNE, 1758)

Nassarius pygmaeus (LAMARCK, 1822)

Nassarius reticulatus (LINNE, 1758)

Stramonita haemastoma (LINNE, 1766)

Naticidae

Euspira catena (DA COSTA 1778)

Euspira guillemini (PAYRAUDEAU 1826)

Euspira macilinta (PHILIPPI, 1844)

Euspira pulchella (RISSO 1826)

Natica hebraea (MARTYN, 1784)

Natica philosa (PHILIPPI, 1845)

Natica stercusmuscarum (GMELIN, 1791)

Neverita josephinia RISSO, 1826

Neritidae

Smaragdia viridis (LINNE, 1758)

Patellidae

Patella caerulea LINNE, 1758

Patella rustica LINNE, 1758

Patella tarentina SALIS 1739

Patella ulyssiponensis GMELIN, 1791

Pleurobranchidae

Oscanius membranaceus MONTAGU, 1803

Potamididae

Pirenella conica (BLAINVILLE, 1826)

Pirenella tricolor PALLARY, 1904

Pyramidellidae

Eulimella scillae (SCACCHI, 1835)

Liostoma clavula (LOVEN, 1846)

Odostomia conoidea (BROCCHI, 1814)

Turbonilla lactea (LINNE, 1758)

Turbonilla rufa (PHILIPPI, 1836)

Ranellidae

Charonia nodifera (LAMARCK, 1822)

Charonia tritonis variegata (LAMARCK, 1816)

Ranella olearia (LINNE, 1758)

Ringiculidae

Ringicula leptocheila BRUGNONE, 1873

Rissoidae

Alvania cimex (LINNE, 1758)

Alvania cimicoides (FORBES, 1844)

Alvania discors (ALLAN, 1818)

Alvania hirta (MONTEROSATO, 1884)

Alvania hispidula (MONTEROSATO, 1884)

Alvania lineata RISSO, 1826

Pusillina diversa (F. NORDSIECK, 1972)

Pusillina marginata (MICHAUD, 1832)

Pusillina philippi (ARADAS & MAGGIORE, 1844)

Rissoina bruguieri (PAYRAUDEAU, 1826)

- Rissoa labiosa* (MONTAGU, 1803)
Rissoa lineolata MICHAUD, 1832
Rissoa monodonta PHILIPPI, 1836
Rissoa ventricosa DESMAREST, 1814
Rissoa violacea DESMAREST, 1814
Turboella lia ("BENOIT" MONTEROSATO, 1884)
Turboella parva (DA COSTA, 1778)
Turboella radiata (PHILIPPI, 1836)
Turboella scurra (MONTEROSATO, 1884)
Turboella similis (SCACCHI, 1836)
- Tonnidae
Tonna galea (LINNE, 1758)
- Tricoliidae
Tricolia pullus (LINNE, 1758)
Tricolia tenuis (MICHAUD, 1829)
- Triphoridae
Monophorus perversus (LINNE, 1758)
- Triviidae
Erato volute (MONTAGU, 1803)
Trivia arctica (PULTENEY, 1789)
Trivia multilirata (SOWERBY G. B. II 1870)
- Trochidae
Calliostoma conulus (LINNE, 1758)
Calliostoma laugieri (PAYRAUDEAU, 1826)
Calliostoma granulatum (BORN, 1778)
Clanculus corallinus (GMELIN, 1791)
Clanculus cruciatus (LINNE, 1758)
Clanculus jussieuvi (PAYRAUDEAU, 1826)
Clelandella miliaris (BROCCHI, 1814)
Gibbula adansoni (PAYRAUDEAU, 1826)
Gibbula adriatica (PHILIPPI, 1844)
Gibbula albida (GMELIN, 1790)
- Gibbula ardens* (v. SALIS, 1793)
Gibbula divaricata (LINNE, 1758)
Gibbula racketti (PAYRAUDEAU, 1826)
Gibbula rarilineata (MICHAUD, 1929)
Gibbula richardi (PAYRAUDEAU, 1826)
Gibbula umbilicaris (LINNE, 1758)
Gibbula varia (LINNE, 1758)
Jujubinus depictus DESHAYES, 1833
Jujubinus exaperatus (PENNANT, 1777)
Jujubinus monterosatoi (BUCQUOI, DAUTZENBERG & DOLLFUS, 1885)
Jujubinus striatus (LINNE, 1758)
Monodonta articulata LAMARCK, 1822
Monodonta mutabilis (PHILIPPI, 1846)
Monodonta turbinata (BORN, 1778)
Putzeysia wiseri (CALCARA, 1842)
- Turbinidae
Bolma rugosa (LINNE, 1757)
Cantrainea peloritana (CANTRAINED, 1835)
- Turridae
Benthomangelia macra (WATSON, 1881)
Comarmondia gracilis (MONTAGU, 1803)
Crassopleura incrassata (DUJARDIN, 1837)
Drilliola emendata (MONTEROSATO, 1872)
Mangelia attenuata (MONTAGU, 1803)
Mangelia multilineolata (DESHAYES, 1835)
Mangelia nuperrima (TIBERI, 1855)
Mangelia paciniana (CALCARA, 1839)
Mangelia vauquelini (PAYRAUDEAU, 1826)
Microdrillia loprestiana (CALCARA, 1841)
Raphitoma echinata (BROCCHI, 1814)
Raphitoma linearis (MONTAGU, 1803)
- Turritellidae
Turritella communis RISSO, 1826
Turritella turbona MONTEROSATO, 1877

Vermetidae

- Dendropoma corrodens* (D'ORBIGNY, 1841)
Serpulorbis arenaria (LINNE, 1767)
Vermetus triquetrus BIVONA, 1832

BIVALVIA

Anomiidae

- Anomia ephippium* LINNE, 1758

Arcidae

- Anadara diluvii* (LAMARCK, 1805)
Anadara corbuloides (MONTEROSATO, 1878)
Arca noae LINNE, 1758
Arca tetragona POLI, 1795
Barbatia barbata (LINNE, 1758)
Barbatia clathrata (DE FRANCE, 1816)
Bathyarca pectunculoides (SCACCHI, 1834)
Bathyarca philippiana (NYST, 1848)

Astartidae

- Astarte fusca* (POLI, 1785)

Cardiidae

- Acanthocardia echinata* (LINNE, 1758)
Acanthocardia mucronata (POLI, 1795)
Acanthocardia paucicostata (G. B. SOWERBY, 1839)
Acanthocardia tuberculata (LINNE, 1758)
Cerastoderma glaucum (BRUGUIERE, 1789)
Laevicardium oblongum (GMELIN, 1791)
Parvicardium exiguum (GMELIN, 1790)
Parvicardium minimum (PHILIPPI, 1836)
Parvicardium scabrum (PHILIPPI, 1844)
Plagiocardium papillosum (POLI, 1795)

Carditidae

- Cardita calyculata* (LINNE, 1758)
Glans aculeata (POLI, 1795)
Glans trapezia (LINNE, 1767)

- Venericardia antiquata* (LINNE, 1758)

Chamidae

- Chama gryphoides* LINNE, 1758

Corbulidae

- Corbula gibba* (OLIVI, 1792)

Cuspidariidae

- Cuspidaria cuspidata* (OLIVI, 1792)
Cuspidaria rostrata (SPLENGER, 1793)

Donacidae

- Donax semistriatus* POLI, 1795
Donax trunculus LINNE, 1758
Donax variegatus GMELIN, 1791
Donax venustus POLI, 1795

Glossidae

- Glossus humanus* (LINNE, 1758)

Glycymerididae

- Glycymeris bimaculata* (POLI, 1795)
Glycymeris glycymeris (LINNE, 1758)
Glycymeris insubrica (BROCCHI, 1814)

Gryphaeidae

- Neopycnodonta cochlear* (POLI, 1795)

Hiatellidae

- Hiatella arctica* (LINNE, 1767)
Hiatella rugosa (LINNE, 1767)

Lentidinidae

- Lentidium mediterraneum* (O. G. COSTA, 1829)

Limidae

- Lima inflata* (CHEMNITZ, 1784)
Lima lima (LINNE, 1758)

Limatula subauriculata (MONTAGU, 1808)

Notolimea crassa (FORBES, 1844)

Lucinidae

Loripes lacteus (LINNE, 1758)

Lucinella divaricata (LINNE, 1758)

Myrtea spinifera (MONTAGU, 1803)

Mactridae

Mactra corallina (LINNE, 1758)

Mactra glauca BORN, 1778

Lutraria lutraria (LINNE, 1758)

Spisula subtruncata (DA COSTA, 1778)

Mytilidae

Lithophaga lithophaga (LINNE, 1758)

Modiolarca subpictus (CANTRAINED, 1835)

Modiolus barbatus (LINNE, 1758)

Musculus costulatus (RISSO, 1826)

Mytilaster minimus (POLI, 1795)

Mytilus galloprovincialis LAMARCK, 1819

Noetidae

Striarca lactea (LINNE, 1758)

Nuculanidae

Nuculana commutata (PHILIPPI, 1844)

Nuculana pella (LINNE, 1758)

Nuculidae

Nucula aegeensis JEFFREYS, 1879

Nucula nucleus LINNE, 1758

Nucula sulcata BRONN, 1831

Ostreidae

Ostrea edulis LINNE, 1758

Ostrea sentina PAYRAUDEAU, 1826

Pandoridae

Pandora inaequalis (LINNE, 1758)

Pandora pinna (MONTAGU, 1803)

Pectinidae

Aequipecten opercularis (LINNE, 1758)

Camptonectes striatus (MULLER, 1776)

Chlamys bruei (PAYRAUDEAU, 1826)

Chlamys glabra (LINNE, 1758)

Chlamys flexuosa (POLI, 1795)

Chlamys islandica (MULLER, 1776)

Chlamys multistriata (POLI, 1795)

Chlamys varia (LINNE, 1758)

Delectopecten vitreus (GMELIN, 1791)

Hyalopecten similes (LASKKEY, 1811)

Lissopecten hyalinus (POLI, 1795)

Pecten jacobaeus (LINNE, 1758)

Propeamussium fenestratum (FORBES, 1844)

Propeamussium lucidum (JEFFREYS, 1873)

Pseudamussium clavatum (POLI, 1795)

Pseudamussium septemradiatum (MULLER, 1776)

Petricolidae

Mysia undata (PENNANT, 1777)

Petricola lithophaga (RETZIUS, 1786)

Pharidae

Ensis ensis (LINNE, 1758)

Ensis minor (CHENU, 1843)

Pharus legumen (LINNE, 1758)

Pholadidae

Barnea candida (LINNE, 1758)

Pholas dactylus LINNE, 1758

Pinnidae

Pinna nobilis LINNE, 1758

Poromyidae

Poromya granulata (NYST & WESTENDORP, 1839)

Psamobiidae

Gari tellinella (LAMARCK, 1818)

Psammobia depressa (PENNANT, 1777)

Pteriidae

Pteria hirundo (LINNE, 1758)

Semelidae

Abra alba (WOOD, 1801)

Abra longicallus (SCACCHI, 1834)

Abra prismatica (MONTAGU, 1808)

Abra segmentum (RECLUZ, 1843)

Abra tenuis (MONTAGU, 1803)

Scrobicularia cottardi (PAYRAUDEAU, 1826)

Scrobicularia plana (DA COSTA, 1778)

Solecurtidae

Azorinus chamasolen (DA COSTA, 1778)

Solecurtus albus BLAINVILLE, 1825

Solecurtus strigillatus (LINNE, 1758)

Solenidae

Solen marginatus (PENNANT, 1777)

Spondylidae

Spondylus gaederopus LINNE, 1758

Tellinidae

Ercopagia crassa (PENNANT, 1777)

Gastrana fragilis (LINNE, 1758)

Macoma cumana (O. G. COSTA, 1829)

Tellina balaustina LINNE, 1758

Tellina distorta (POLI, 1791)

Tellina donacina LINNE, 1758

Tellina exigua POLI, 1791

Tellina fabula GMELIN, 1791

Tellina incarnata LINNE, 1758

Tellina nitida POLI, 1791

Tellina planata LINNE, 1758

Tellina pulchella LAMARCK, 1818

Tellina serrata BROCCHI, 1814

Thraciidae

Thracia papyracea (POLI, 1795)

Thyasiridae

Thyasira biplicata (PHILIPPI, 1836)

Ungulinidae

Diplodonta brocchi (DESHAYES, 1852)

Diplodonta rotunda (MONTAGU, 1803)

Veneridae

Callista chione LINNE, 1758

Chamelea gallina (LINNE, 1758)

Clausinella fasciata (DA COSTA, 1778)

Dosinia exoleta (LINNE, 1758)

Dosinia lupinus (LINNE, 1758)

Gouldia minima (MONTAGU, 1803)

Irus irus (LINNE, 1758)

Pitar mediterranea (DAUTZENBERG, 1891)

Pitar rudis (POLI, 1795)

Tapes decussatus (LINNE, 1758)

Timoclea ovata (PENNANT, 1777)

Venerupis aurea (GMELIN, 1790)

Venerupis geographica (GMELIN, 1790)

Venerupis pulastra (MONTAGU, 1803)

Venus casina LINNE, 1758

Venus verrucosa LINNE, 1758

SCAPHOPODA

Dentaliidae

Dentalium inaequicostatum DAUTZENBERG, 1891

Dentalium panormum CHENU, 1842

Dentalium vulgare DA COSTA, 1778
Faustiaria rubescens (DESHAYES, 1825)

Siphonodentaliidae

Antalis agile (SARS, 1872)
Cadulus jeffreysii (MONTEROSATO, 1875)
Entalina tetragona (BROCCHI, 1814)

CEPHALOPODA

Loliginidae

Loligo vulgaris LAMARCK, 1798

Sepiidae

Sepia elegans BLAINVILLE, 1827
Sepia officinalis LINNE, 1758
Sepia orbignyana FERUSSAC, 1826

Sepiolidae

Rossia macrosoma (DELLE CHIAJE, 1829)
Sepietta oweniana PFEIFFER, 1908
Sepiola rondeleti STEENSTRUP, 1856

Octopodidae

Eledone cirrhosa (LAMARCK, 1798)
Eledone moschata LAMARCK, 1799
Octopus macropus RISSO, 1826
Octopus vulgaris CUVIER, 1797

Ommastrephidae

Todarodes sagittatus (LAMARCK, 1798)

FRESHWATER MOLLUSCS

GASTROPODA

Acroloxidae

Acroloxus improvisus POLINSKI, 1929

Acroloxus lacustris (LINNE, 1758)
Acroloxus macedonicus HADŽIŠČE, 1959

Bithyniidae

Bithynia hambergerae NICOLE & REISCHUTZ, 2008
Bithynia montenegrina (WOHLBEREDT, 1901)
Bithynia skadarskii GLOER & PEŠIĆ, 2007
Bithynia tentaculata (LINNE, 1758)
Bithynia zeta GLOER & PEŠIĆ, 2007

Hydrobiidae

Albaniana albanica RADOMAN, 1973
Anagastina gluhodolica RADOMAN, 1973
Anagastina matjasici BOLE, 1961
Anagastina scutarica RADOMAN, 1973
Anagastina zetaevallis RADOMAN, 1973
Antibaria notata (FRAUENFELD, 1865)
Belgrandia ionica (SCHUTT, 1980)
Belgrandiella haesitans (WESTERLUND, 1881)
Bracenicia spiridoni RADOMAN, 1973
Bythinella schmidti KÜSTER, 1852
Dolapia ornata (RADOMAN, 1956)
Gocea ohridana HADŽIŠČE, 1956
Lanzaia vjetrenicae KUŠČER, 1933
Litthabittella chilodia (WESTERLUND, 1886)
Lyhnia gjorgjevici HADŽIŠČE, 1956
Lyhnia hadzii HADŽIŠČE, 1956
Lyhnia karamani HADŽIŠČE, 1956
Lyhnia stankovici HADŽIŠČE, 1956
Lyhnia sublitoralis (RADOMAN, 1967)
Malaprespia albanica RADOMAN, 1973
Ohridohauffenia depressa (RADOMAN, 1965)
Ohridohauffenia drimica (RADOMAN, 1964)
Ohridohauffenia minuta (RADOMAN, 1955)
Ohridohauffenia rotonda (RADOMAN, 1964)
Ohridohauffenia sanctinaumi (RADOMAN, 1964)
Ohridohauffenia sublitoralis (RADOMAN, 1962)
Ohridohoratia carinata (RADOMAN, 1956)
Ohridohoratia pygmaea (WESTERLUND, 1902)

Ohrigocea karevi HADŽIŠČE, 1956
Ohrigocea miladinovorum HADŽIŠČE, 1956
Ohrigocea samuili HADŽIŠČE, 1956
Ohrigocea stankovici HADŽIŠČE, 1956
Orientalina curta (KUŠČER, 1852)
Orientalina elongata RADOMAN, 1973
Orientalina lacustris RADOMAN, 1983
Orientalina montana RADOMAN, 1973
Parabythinella macedonica (HADŽIŠČE, 1958)
Parabythinella malaprespensis RADOMAN, 1973
Plagigeyeria montenigrina BOLE, 1961
Polinskiola polinskii (RADOMAN, 1960)
Polinskiola sturanyi (WESTERLUND, 1902)
Prespiana lacustris RADOMAN, 1973
Prespolitorea malapropaensis (RADOMAN, 1973)
Prespolitorea valvataeformis RADOMAN, 1973
Pseudamnicola macrostoma (KÜSTER, 1853)
Pseudohoratia brusinae (RADOMAN, 1953)
Pseudohoratia lacustris (RADOMAN, 1964)
Pseudohoratia ohridana (POLINSKI, 1929)
Saxurinator hadzii BOLE, 1961
Strugia ohridana RADOMAN, 1973
Zaumia kusceri (HADŽIŠČE, 1956)
Zaumia sanctizaumi (RADOMAN, 1964)

Lymnaeidae

Galba truncatula (O. F. MÜLLER, 1774)
Lymnaea stagnalis (LINNE, 1758)
Radix ampla (HARTMAN, 1821)
Radix auricularia (LINNE, 1758)
Radix ovata (DRAPARNAUD, 1805)
Radix peregra (O. F. MÜLLER, 1774)
Radix pinteri SCHÜTT, 1974
Radix relicta POLINSKI, 1929
Stagnicola corvus (GMELIN, 1791)
Stagnicola palustris (O. F. MÜLLER, 1774)

Micromelaniidae

Adriohydrobia consociella (FRAUENFELD, 1863)

Chilopyrgula sturanyi (BRUSINA, 1896)
Ginaia munda munda (STURANY, 1894)
Ginaia munda sublitoralis RADOMAN, 1978
Macedopyrgula pavlovici (POLINSKI, 1929)
Macedopyrgula wagneri (POLINSKI, 1929)
Micropyrgula stankovici (POLINSKI, 1929)
Neofossarulus stankovici POLINSKI, 1929
Ohridopyrgula macedonica (BRUSINA, 1896)
Prespopyrigula prespaensis (URBANSKI, 1939)
Pyrgohydrobia grochmalickii (POLINSKI, 1929)
Pyrgohydrobia jablanicensis RADOMAN, 1955
Pyrgohydrobia sanctinaumi RADOMAN, 1955
Pyrgula annulata (LINNE, 1758)
Stankovicia baicaliiiformis POLINSKI, 1929
Trachyohridia filocincta (POLINSKI, 1929)
Xestopyrgula dybowskii (POLINSKI, 1929)

Neritidae

Theodoxus fluviatilis (LINNE, 1758)
Theodoxus varius (MENKE, 1828)

Physidae

Aplexa hypnorum (LINNE, 1758)
Physa fontinalis (LINNE, 1758)
Physella acuta (DRAPARNAUD, 1805)

Planorbidae

Ancylus fluviatilis O. F. MÜLLER, 1774
Ancylus lapicidus HUBENDICK, 1960
Ancylus scalariniformis STANKOVIC & RADOMAN, 1953
Ancylus tapirulus POLINSKI, 1929
Anisus spirorbis (LINNE, 1758)
Anisus vortex (LINNE, 1758) ?
Anisus vorticulus (TROSCHER, 1834) ?
Bathyomphalus contortus (LINNE, 1758)
Ferrissia wautieri (MIROLI, 1960)
Gyraulus albidus RADOMAN, 1953
Gyraulus albus (O. F. MÜLLER, 1774)

Gyraulus crenophylus HUBENDICK & RADOMAN, 1959
Gyraulus crista (LINNE, 1758)
Gyraulus fontinalis HUBENDICK & RADOMAN, 1959
Gyraulus laevis (ALDER, 1838)
Gyraulus lychnidicus HESSE, 1928
Gyraulus plavensis A. J. WAGNER, 1914 ?
Gyraulus prespensis (STURANY, 1894)
Gyraulus stankovici HADZISCE, 1958
Gyraulus trapezoides POLINSKI, 1929
Hippeutis complanatus (LINNE, 1758)
Planorbarius corneus (LINNE, 1758)
Planorbella anceps (MENKE, 1830)
Planorbis carinatus O. F. MÜLLER, 1774
Planorbis macedonicus STURANY, 1894
Planorbis planorbis (LINNE, 1758)

Thiaridae

Holandriana holandrii (C. PFEIFFER, 1828)

Valvatidae

Valvata cristata O. F. MÜLLER, 1774
Valvata hirsutecostata POLINSKI, 1929
Valvata piscinalis (O. F. MÜLLER, 1774)
Valvata relictata POLINSKI, 1929
Valvata rhabdota STURANY, 1894
Valvata stenotrema POLINSKI, 1929

Viviparidae

Viviparus contectus (MILLET, 1813)
Viviparus mamillatus (KÜSTER, 1852)
Viviparus viviparus (LINNE, 1758)

BIVALVIA

Dreissenidae

Dreissena blanci WESTERLUND, 1890
Dreissena polymorpha (PALLAS, 1771) ?
Dreissena presbensis KOBELT, 1915
Dreissena stankovici VOVA & STAROBOGATOV, 1982

Pisidiidae

Musculium lacustre (O. F. MÜLLER, 1774)
Pisidium amnicum (O. F. MÜLLER, 1774)
Pisidium casertanum (POLI, 1791)
Pisidium edlaueri KUIPER, 1960
Pisidium henslowanum (SHEPPARD, 1823)
Pisidium maasseni KUIPER, 1987
Pisidium milium HELD, 1836
Pisidium moitessierianum PALADILHE, 1866
Pisidium nitidum JENYNS, 1832
Pisidium nitidum crassa STELFOX, 1918
Pisidium obtusale PFEIFFER, 1821
Pisidium personatum MALM, 1855
Pisidium subtruncatum MALM, 1855
Pisidium tenuilineatum STELFOX, 1918

Unionidae

Anodonta anatina (LINNE, 1758)
Anodonta cygnaea LINNE, 1758
Anodonta cymbalica DROUET, 1879
Microcondylaea bonelli (MENKE, 1828)
Unio crassus PHILIPSSON, 1788
Unio elongatulus C. PFEIFFER, 1825
Unio mancus LAMARCK, 1819
Unio pictorum LINNE, 1758
Unio tumidus PHILIPSSON, 1788

TERRESTRIAL MOLLUSCS

GASTROPODA

Aciculidae

Platyla banatica (ROSSMASSLER, 1842)
Renea kobelti (A. J. WAGNER, 1910)
Platyla pinteri SUBAI, 1976
Platyla wilhelmi (A. J. WAGNER, 1810)
 Agriolimacidae
Deroceras agreste (LINNE, 1758)

Deroceras reticulatum (O. F. MULLER 1774)

Deroceras sturanyi (SIMROTH, 1894) ?

Deroceras turcicum (SIMROTH, 1894)

Argnidae

Agardhiella extravaganta SUBAI, 2008

Agardhiella skipetarica (A. J. WAGNER, 1915)

Agardhiella truncatella (L. PFEIFFER, 1841)

Agardhiella zoltanorum SUBAI, 2008

Arionidae

Arion circumscirptus JOHNSTON, 1828

Arion rufus (LINNE, 1758) ?

Arion subfuscus (DRAPARNAUD, 1805)

Carychiidae

Ovatella myosotis (DRAPARNAUD, 1805)

Chondrinidae

Chondrina arcadica (REINHARDT, 1881)

Chondrina spelta (BECK, 1837)

Granaria frumentum (DRAPARNAUD, 1801)

Granopupa granum (DRAPARNAUD, 1801)

Rupestrella philippii (CANTRAINED, 1840)

Rupestrella rhodia (ROTH, 1839)

Clausiliidae

Agathylla biloba (A. J. WAGNER, 1914)

Agathylla merditana (A. J. WAGNER, 1914)

Albinaria schuchii (ROSSMASSLER, 1836)

Albinaria scopulosa (CHARPENTIER, 1852)

Balea biplicata (MONTAGU, 1803)

Balea serbica MOLLENDORFF, 1873 ?

Bulgarica vetusta (ROSSMASSLER, 1836)

Clausilia dubia DRAPARNAUD, 1805 ?

Cochlodina laminata (MONTAGU, 1803)

Delima bilabiata (SCHUBERTH & WAGNER, 1829)

Delima binotata (ROSSMASSLER, 1836)

Delima blanda (ROSSMASSLER, 1836)

Delima montenegrina (L. PFEIFFER, 1848)

Herilla bosniensis (L. PFEIFFER, 1868)

Herilla illyrica (MOLLENDORFF, 1899)

Herilla jabucica BOTTGER, 1907

Herilla zieglerei (KUSTER, 1845)

Lacinaria plicata (DRAPARNAUD, 1801)

Macrogastra ventricosa (DRAPARNAUD, 1801)

Medora proxima (WALDERDORFF, 1864)

Montenegrina apfelbecki (STURANY, 1907)

Montenegrina chiasma H. NORDSIECK, 1972

Montenegrina dofleini (WAGNER, 1928)

Montenegrina drimmeri FEHER & SZEKERES, 2006

Montenegrina fuchsi BRANDT, 1961

Montenegrina helvola KÜSTER, 1853

Montenegrina janinensis (MOUSSON, 1859)

Montenegrina laxa KÜSTER, 1860

Montenegrina minuscula ERŐS & SZEKERES, 2006

Montenegrina perstriata (WAGNER, 1919)

Montenegrina sattmanni NORDSIECK, 1988

Montenegrina skipetarica (SOOS, 1924)

Montenegrina subcristata KÜSTER, 1847

Papillifera papillaris (O. F. MULLER, 1774)

Protoherilla baleiformis (O. BOETTGER, 1909)

Protoherilla pseudofallax (H. NORDSIECK, 1972)

Strigilodelima conspersa (L. PFEIFFER, 1848)

Strigilodelima pentheri (A. J. WAGNER, 1919)

Siciliaria lamellata (ROSSMASSLER, 1836)

Siciliaria splendens (NORDSIECK, 1996)

Siciliaria stigmatica (ROSSMASSLER, 1836)

Triloba sandrii (KUSTER, 1844)

Triloba thaumasia (STURANY, 1907)

Vestia roschitzi (BRANCSIK, 1889)

Cochlicopidae

Cochlicopa lubrica (O. F. MULLER, 1774)

Cochlicopa lubricella (PORRO, 1838)

Hypnophila polita (PORRO, 1838) ?

Hypnophila pupaeformis (CANTRAINED, 1835)

Cochlostomatidae

- Cochlostoma auritum* (ROSSMASSLER, 1837)
Cochlostoma fuchsia FEHER, 2004
Cochlostoma georgi (A. J. WAGNER, 1906)
Cochlostoma gracile (L. PFEIFFER, 1849)
Cochlostoma hoyeri (POLINSKI, 1922)
Cochlostoma kleciaki (M. BRAUN, 1887)
Cochlostoma pinteri FEHER, 2004
Cochlostoma roseoli (A. J. WAGNER, 1901)
Cochlostoma scalarinum (VILLA, 1841)
Cochlostoma sturanyi (A. J. WAGNER, 1897)
Cochlostoma tessellatum (ROSSMASSLER, 1837)

Daudebardiidae

- Carpathica stussineri* (A. J. WAGNER, 1895)
Daudebardia brevipes (DRAPARNAUD, 1805)
Daudebardia rufa (DRAPARNAUD, 1805)

Enidae

- Chondrula consentanea* WESTERLUND, 1887 ?
Chondrula lugorensis A. J. WAGNER, 1914
Chondrula macedonica A. J. WAGNER, 1914
Chondrula microtraga (ROSSMASSLER, 1839)
Chondrula tridens (O. F. MULLER, 1774)
Ena concolor (WESTERLUND, 1887)
Ena montana (DRAPARNAUD, 1801)
Ena subtilis (ROSSMASSLER, 1835)
Imparietula seductilis (ROSSMASSLER, 1837)
Jaminia quadridens (O. F. MULLER, 1774)
Mastus pupa (LINNE, 1758)
Merdigera obscura (O. F. MULLER, 1774)
Multidentula squalina (L. PFEIFFER, 1848)
Napaeopsis cefalonicus (MOUSSON, 1859)
Zebrina detrita (O. F. MULLER, 1774)
 Euconulidae
Euconulus fulvus (O. F. MULLER, 1774)

Ferussaciidae

- Cecilioides acicula* (O. F. MULLER, 1774)

- Cecilioides tumulorum* (BOURGUIGNAT, 1856)

Gastrodontidae

- Zonitoides nitidus* (O. F. MULLER, 1774)

Helicidae

- Cepaea vindobonensis* (FERUSSAC, 1821)
Codringtonia neocrassa ZILCH, 1952
Eobania vermiculata (O. F. MULLER, 1874)
Helicigona albanica S. H. F. JAECKEL, 1954
Helicigona albanograeca (SUBAI, 1995) ?
Helicigona apfelbecki bindzaensis (STURANY, 1909)
Helicigona byshekensis KNIPPER, 1941
Helicigona dochii (STURANY, 1907)
Helicigona dunjana KNIPPER, 1941
Helicigona edlaueri KNIPPER, 1941
Helicigona fuchsi KNIPPER, 1939
Helicigona grisea (SUBAI & FEHER, 2006)
Helicigona harpya SUBAI, 1995
Helicigona hoffmanni (ROSSMASSLER, 1836)
Helicigona inflata (KOBELT, 1876)
Helicigona korabensis SUBAI, 1997
Helicigona kulmakana (SUBAI & FEHER, 2006)
Helicigona maranajensis (A. J. WAGNER, 1914)
Helicigona petrovici (A. J. WAGNER, 1914)
Helicigona pouzolzii (DESHAYES, 1830)
Helicigona reischuetzi (SUBAI, 1990)
Helicigona serbica (KOBELT, 1872)
Helicigona setigera (ROSSMASSLER, 1836)
Helicigona skipetaricas SUBAI, 1995
Helicigona subzonata (MOUSSON, 1858)
Helicigona zebiana (STURANY, 1907)
Helix aspersa O. F. MULLER, 1874
Helix cincta O. F. MULLER, 1774 ?
Helix dormitoris (KOBELT, 1898)
Helix lucorum LINNE, 1758
Helix oestreichi (KOBELT, 1902) ?
Helix secernenda ROSSMASSLER, 1847
Helix vladica (KOBELT, 1898)

Theba pisana (O. F. MULLER, 1874)

Hygromiidae

Candidula castriota SOOS, 1924

Cernuella cisalpina (ROSSMASSLER, 1837) ?

Cernuella virgata (DA COSTA, 1778)

Cochlicella acuta (O. F. MULLER, 1774)

Cochlicella barbara (LINNE, 1758)

Helicodonta albanica A. J. WAGNER, 1914

Helicodonta langhofferi A. J. WAGNER, 1914 ?

Helicodonta obvoluta (O. F. MULLER, 1774) ?

Lindholmiola girva (FRIVALDSZKY, 1835)

Lindholmiola lens (FERUSSAC, 1832)

Hiltrudia mathildae (WESTERLUND, 1881)

Metafruticicola occidentalis SUBAI, 1999

Monacha cartusiana (O. F. MULLER, 1774)

Monacha dissimulans PINTER, 1968

Monacha emigrata (WESTERLUND, 1894)

Monacha frequens (MOUSSON, 1859)

Monacha microtricha S. H. F. JAECKEL, 1954

Monacha parumcincta (MENKE, 1828) ?

Monachoides fallax (A. J. WAGNER, 1914)

Monachoides incarnatus (O. F. MULLER, 1774)

Petasina erjavecii (BRUSINA, 1870)

Pseudotrichia rubiginosa (ROSSMASSLER, 1838)

Semifruticicola serbica A. J. WAGNER, 1914

Trichia hispida (LINNE, 1758) ?

Trochidea pyramidata (DRAPARNAUD, 1805)

Trochoidea trochoides (POIRET, 1789)

Xerocrassa muehelfeldtiana (ROSSMASSLER, 1937)

Xerolenta obvia (MENKE, 1828)

Xeromunda vulgarissima (MOUSSON, 1859)

Xeropicta derbentina (KRYNICKI, 1836)

Xerotricha conspurcata (DRAPARNAUD, 1801)

Lauriidae

Lauria cylindracea (DA COSTA, 1778)

Limacidae

Gigantolimax csikii SOOS, 1924

Lehmania marginata (O. F. MULLER, 1774)

Lehmania szigethyae WIKTOR, 1975

Limacus flavus (LINNE, 1758)

Limax carbonarius O. BOETTGER, 1885

Limax cinereoniger WOLF, 1803

Limax maximus LINNE, 1758

Limax wohlberedti SIMROTH, 1900

Milacidae

Tandonia albanica (SOOS, 1924)

Tandonia sowerbyi (A. FERUSSAC, 1923)

Oleacinidae

Poiretia compressa (MOUSSON, 1859)

Poiretia cornea (BRUMATI, 1838)

Poiretia delesserti (BOURGUIGNAT, 1852)

Orculidae

Orcula schmidtii (KUSTER, 1843)

Orcula wagneri STURANY, 1914

Pagodulina gracilior PILSBRY, 1926

Pagodulina subdola (GREDLER, 1856)

Sphyradium doliolum (BRUGUIERE, 1792)

Pomatiasidae

Pomatias elegans (O. F. MULLER, 1774)

Punctidae

Punctum pygmaeum (DRAPARNAUD, 1801)

Pupillidae

Pupilla alpicola (CHARPENTIER, 1837)

Pupilla triplicata (STUDER, 1820)

Spelaediscus albanicus (A. J. WAGNER, 1914)

Pyramidulidae

Pyramidula cephalonica (WESTERLUND, 1898)

Pyramidula pusilla (VALLOT, 1801)

Subulinidae

Rumina decollata (LINNE, 1758) ?

Succineidae

Oxyloma elegans (RISSO, 1826)

Succinella oblonga (DRAPARNAUD, 1801)

Valloniidae

Acanthinula aculeata (O. F. MULLER, 1774) ?

Gittenbergia sororcula (BENOIT, 1857) ?

Vallonia costata (O. F. MULLER, 1774)

Vallonia enniensis (GREDLER, 1856)

Vallonia excentrica STERKI, 1892

Vallonia pulchella (O. F. MULLER, 1774)

Vertiginidae

Truncatellina callicratis (SCACCHI, 1833)

Truncatellina claustralis (GREDLER, 1856)

Truncatellina cylindrica (FERUSSAC, 1807)

Truncatellina rothi (REINHARDT, 1916)

Vertigo pusilla O. F. MULLER, 1774

Vitrinidae

Oligolimax anularis (STUDER, 1820)

Semilimacella carniolica (O. BOETTGER, 1884)

Semilimacella reitteri (TARGIONI-TOZZETTI, 1873)

Semilimax apatelus (SOOS, 1924)

Vitrina pellucida (O. F. MULLER, 1774)

Zonitidae

Aegopinella minor (STABILE, 1864)

Aegopis acies (FERUSSAC, 1832)

Aegopis septentrionalis (KOBELT, 1899)

Aegopis verticillus (LAMARCK, 1822) ?

Allaegopis amphikypellon RIEDEL, 1982

Allaegopis skanderbegianus (POLINSKI, 1924)

Allaegopis transiens (MOUSSON, 1859) ?

Gyalina candida (A. J. WAGNER, 1909)

Gyalina circumlineata (L. PFEIFFER, 1846)

Gyalina gjirokastrana RIEDEL &
WELTER-SCHULTES, 1996

Gyalina korabensis (RIEDEL, 1970) ?

Gyalina nopcsai FEHER & EROSS, 1999

Gyalina tarabosensis (RIEDEL, 1970)

Oxychilus camelinus (BOURGUIGNAT, 1852)

Oxychilus cellarius (O. F. MULLER, 1774) ?

Oxychilus cyprius (L. PFEIFFER, 1847)

Oxychilus depressus (STERKI, 1880)

Oxychilus draparnaudi (BECK, 1837)

Oxychilus glaber (ROSSMASSLER, 1835)

Oxychilus hydatinus (ROSSMASSLER, 1838)

Oxychilus planorbis (MOLLENDORFF, 1899)

Paraegopis albanicus (ROSSMASSLER, 1836)

Paraegopis bizonus A. J. WAGNER, 1914

Paraegopis mauritii (WESTERLUND, 1886) ?

Paraegopis skipetaricus A. J. WAGNER, 1914

Vitrea botterii (L. PFEIFFER, 1853)

Vitrea contracta (WESTERLUND, 1871)

Vitrea illyrica (A. J. WAGNER, 1907)

Vitrea selecta PINTER, 1972

Vitrea sturanyi (A. J. WAGNER, 1907) ?

Vitrea subrimata (REINHARDT, 1871)

CONCLUSIONS

We managed to make the first record of the different species of the marine and non-marine mollusks in Albania aiming at offering more information to researchers and data-base specialists.

We have presented 745 species of mollusks found in Albania. This considerable figure is estimated to represent over 95% of the species that have already been discovered in Albania.

The last century achievements and especially the most recent ones are very promising. Consequently, the list of the species will certainly grow progressively. The high intensity of the taxonomic, biogeographic and revising studies carried out by the most well-known European scientists testifies to

presence of the great long-term scientific interests in this field.

The marine mollusk fauna of the Albanian is of special ecogeographic interest. Its diversity is related to the peculiar features of the habitats: the Ionian Sea that opens towards the Mediterranean Sea and the Southern Adriatic Sea that closes towards the north.

The terrestrial mollusk fauna as well as that of the freshwaters is of regional and global importance, as it is characterized by endemism that is especially highly condensed in the four inter-frontier lakes and mountain tops.

Taking into consideration the great variety of the continental mollusks, Albania represents the center for the processing of the fauna. Taxonomic studies highlight many complex models of generic, specific and inter-specific radiation.

REFERENCES

- Albrecht, C., Schultherss, R., Kenekidis, Th., Streit, B., and T. Eilke (2007). Invaders or endemics? Molecular phylogenetics, biogeography and systematics of *Dreissena* in Balkans. *Freshwater Biology*, **52** (8), 1525-1536.
- Beqiraj, S. (2004). Studim i krahasuar taksonomik, ekologjik dhe të dhëna biogeografike për malakofaunën e lagunave bregdetare të Shqipërisë (Lagunat e Vilunit, Kunes, Patokut, Karavastasë dhe Nartës). Disertacion për gradën shkencore "Doktor". UT, Tiranë.
- Beqiraj, S., and L. Kashta (2007). Të dhëna paraprake për makrofaunën bentike shoqëruese të livadheve të *Posidonia oceanica* në bregdetin shqiptar. *Bul. Shk. Univ. Shkodër "L. Gurakuqi"*, ser. Shk. Nat. Nr. 57, 179-194.
- Beqiraj, S., Kashta, L., Kuci, M., Kasemi, D., Mato, X., and A. Gace (2008). Benthic Macrofauna of *Posidonia oceanica* meadows in the Albanian coast. *Natura Montenegrina*, **7** (2), 55-69.
- Dhora, D. (1978). Mbi disa dyflegorë më të njohur të zonave të Shëngjinit dhe të Vlorës. *Bul. Shk. Nat. (Tiranë)*, **2**, 89-93.
- Dhora, D. (2000). Molusqet e tjerë të bregdetit shqiptar. Studime Biologjike. *Ak. Shk. Inst. Kërk. Biol. Tiranë*, **4**, 85-90.
- Dhora, D. (2002). Studime mbi molusqet e Shqipërisë. *Camaj-Pipa, Shkodër*. 210 pp.
- Dhora, D. (2004). Mbi molusqet e Shqipërisë. *Camaj-Pipa, Shkodër*. 196 faqe.
- Dhora, D. and L. Gjikhuri (1994-1995). Gastropodë prozo-brankë të bregdetit tonë. *Bul. Shk. Nat., Ser. Kimi-Biologji, Tiranë*, 1-4 pp.
- Dhora, D. and F. W. Welter-Schultes. (1996a). Bibliography of the non-marine molluscs of Albania. *Schriften zur Malakozoologie, Cismar/Ostholstein*, **9**, 32-89.
- Dhora, D. and F. W. Welter-Schultes (1996b). List of species and atlas of the non-marine molluscs of Albania. *Schriften zur Malakozoologie, Cismar/Ostholstein*, **9**, 90-197.
- Dhora, D. and L. Salvini-Plawen (1997). Preliminary list of Gastropoda and Bivalvia from of the Albanian coast. *La Conchiglia, N., Roma*, **284**, 10-20.
- Erdős, Z., Fehér, Z. and M. Szekeres (2006). New taxa of *Montenegrina* O. Boettger, 1877 (Gastropoda: Pulmonata: Clausiliidae) from Albania and the neighbouring regions. *Annalen des Naturhistorischen Museums in Wien*. **107B**, 181-208.
- Eross, Z., Feher, Z. and A. Hunyadi (2008). Invasion of a North American alien *Planorbella anceps* (MENKE, 1830) (Mollusca: Gastropoda: Planorbidae) in the ancient Lake Prespa. *Tentacle*, **13**, 6-7.
- Feher, Z. (2004). A revision on the genus *Cochlostoma* subgenus *Titanopoma* (Gastropoda, Caenogastropoda, Cochlostomatidae) in particular the forms occurring in Albania. *Basteria, Leiden*, **68**, 25-44.
- Feher, Z., Eross, Z. and A. Varga (2001). Contribution to the knowledge of the Albanian *Cochlostoma* fauna (Gastropoda: Cyclophoridae). *Schriften zur Malakozoologie*, **18**, 71-78.
- Feher, Z., Barina, Z., Eross, Z., Hunyadi, A., Huszar, T., Muranyi, D., Pall-Gergely, B., Pifko, D. and D. Schmidt (2008). Unexpected occurrence of an Anatolian species, *Multidentula squalina* (L. Pfeiffer, 1848) (Mollusca: Gastropoda: Enidae) in Albania. *Second National Malacology Congress of Turkey, Adana, Turkey*, 8-10 October 2008.
- Forum *Natura Mediterraneo*. Molluschi terrestri e dulciacquicoli. Check-List Slovenia, Croazia, Bosnia id Erzegovina, Yug (Serbia e Montenegro) ed Albania 2. <http://209.85.229.132/search?q=cache:ECYhHbwpPcAJ:www.naturamediterraneo.com>
- Gloer, P. and V. Pešić (2007). The *Bithynia* species from Skadar Lake (Montenegro) (Gastropoda: Bithyniidae). *Mollusca, Dresden*, **25** (1), 7-12.
- Mandić, S. and J. Stjepčević (1979). Distribucija i zastupljenost roda *Sepia* (Cephalopoda, Teuthoidea) u južnom Jadranu. *Glasnik, Titograd*, **12**, 165-169.
- Nicole, A. and P. Reischutz (2008/1). Ein Beitrag zur Kenntnis der Molluskenfauna Albaniens. *Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, Rankweil*, **15**, 37-39.
- Nicole, A. and P. Reischutz (2008/2). Ein Nachtrag zur Kenntnis der *Bithynia*-Arten von Montenegro (Gastropoda: Prosobranchia: Bythiniidae). *Nachrichtenblatt der Ersten Vorarlberger Malakologischen Gesellschaft, Rankweil*, **15**, 41-343.

- Nordsieck, H. (2008). Revision of the genus *Montenegrina* O. Boettger, 1877. www.clausilia.de - 03/2008 (06. September 2008).
- Panetta, P., Mastrototaro, F., Matarrese, A. and A. Tursi (2003). Tanatocenosi a molluschi presenti nelle acque Adriatiche albanesi. *Biol. Mar. Medit.* **10**, 597-601.
- Panetta, P., Mastrototaro, F. and S. Tanzarella (2005). Due Scaphopodi rari nel basso Adriatico. *Biol. Mar. Medit.* **12** (1), 299-302.
- Riedel, A., Feher, Z. and Z. Eross (1999). Eine neue Zonitiden-Art (Gastropoda: Stylommatophora) aus Nord-Albanien. *Folia Malacologica*, **7**(4), 241-244.
- Subai, P. (1999). Beschreibung einer neuer Art der Gattung *Matafruticicola* (Gastropoda, Hygromiidae) aus NW-Griechenland und Albanien. *Schriften zur Malakozoologie, Cismar/Ostholstein*, **13**, 49-54.
- Subai, P. (2008). Revision of the Argninae, 1. The species of *Agardhiella* from countries bordering the Adriatic Sea (Gastropoda: Pulmonata: Pupillidae).
- Subai, P. and Z. Feher (2006). Revision of the Ariantinae, 3. *Superba* n. gen., with the description of three new species (Gastropoda: Pulmonata: Helicidae). *Arch. Molluskenkunde, Frankfurt am Main*, **135**, 205-223..
- Uit De Weerd, D. R. and E. Gittenberger (2004). Re-evaluating *Cringea*: molecular data overturn the current classification within the clausiliid subfamily Aloiinae (Gastropoda, Pulmonata). *J. Moll. Stud.* **70**, 305-318.
- Winter, A. J. De and W. J. M. Maassen (1992). Two new Hygromiidae from Crna Gora and Kosovo (Gastropoda, Pulmonata), with a checklist of the hygromiid species described from the western Balkan. *Basteria, Leiden*, **56** (4/6), 173-192.